



# SMILOG

SOFTWARE FOR MOBILE INTEGRATION IN LOGISTICS

## **SMIBROWSER**

# **Product Launch Kit**

Prepared by: M.J. Brandys

Version: 1.0

Dated: , August 2020



## **Proprietary Information**

The recipient of the information in this document hereby acknowledges and agrees that the said information is Proprietary to SMILOG Ltd. and its affiliates and shall not be used, disclosed, and/or duplicated except in accordance with the express written authorization of SMILOG Ltd.

## **Copyright**

© Copyright 2011, SMILOG Ltd.

## **Trademarks, Registered Trademarks, and Proprietary Names**

Product names mentioned in this document may be trademarks or registered trademarks of SAP, or other hardware, software, or service providers and are used herein for identification purposes only.

## **Corporate Address**

**SMILOG Ltd.**  
1334 Farrell Ave.  
Delta  
BC Canada V4L 1V2  
Phone: 604-418-5010  
Internet: <http://www.smilog.ca>  
Email: **support@smilog.ca**



## Revision History

0.1		<ul style="list-style-type: none"><li>• Beta Release</li></ul>	Mike Brandys	May , 2020
1.0		<ul style="list-style-type: none"><li>• First Release</li></ul>	Mike Brandys	August 2020
		<ul style="list-style-type: none"><li>•</li></ul>		
		<ul style="list-style-type: none"><li>•</li></ul>		
		<ul style="list-style-type: none"><li>•</li></ul>		
		<ul style="list-style-type: none"><li>•</li></ul>		
		<ul style="list-style-type: none"><li>•</li></ul>		



<b>NEW FOR RELEASE 1.0 .....</b>	<b>5</b>
<i>KNOWN ISSUES.....</i>	<i>5</i>
<b>INTRODUCTION .....</b>	<b>6</b>
<i>HISTORY AND MARKET REQUIREMENTS .....</i>	<i>6</i>
<b>SELLING SMIBROWSER.....</b>	<b>7</b>
<i>PRICING CONSIDERATIONS .....</i>	<i>7</i>
<i>LIMITATIONS OF SMIBROWSER.....</i>	<i>7</i>
<b>BASIC LOOK AND FEEL .....</b>	<b>8</b>
<b>INSTALLING SMIBROWSER .....</b>	<b>11</b>
<b>CONFIGURING SMIBROWSER.....</b>	<b>14</b>
<b>APPENDIXES .....</b>	<b>22</b>
<i>APPENDIX A – SCAN TO CONFIGURE BARCODES SAMPLES.....</i>	<i>22</i>



## New For Release 1.0

- Added Scaling parameters, SCALE\_X, SCALE\_Y for SAP Transaction Screens  
SCALE for the login Screen (scales the same amount in the X and Y direction)  
FONT\_SCALE, changes the font size on all screens
- Override Configuration by copying smiBrowser.txt file to DOWNLOADS directory
- Override Java Script file by copying smi\_script.js to DOWNLOADS directory
- Override .CSS file by copying smi\_style.css to DOWNLOADS directory
- Long Press on EXIT Key during configuration will keep current session alive. Useful for testing various scaling parameters without having to login again.

## New For Release 0.5

- Enabled Licensing
- Provide patch for Google Speech Recognizer Bug.  
New For Release 0.6

## New For Release 0.5

- Add Configuration options which will block the injection of the default CSS and Jscript code.  
(Turns app into regular browser that could be used with other hosts)

## New For Release 0.4

- Optional Keep Alive Timer added to prevent Session from timing out.  
Set this value to the number of minutes before sending a screen reload. If greater than zero the last session will be reloaded if the APP is restarted. Load the Configuration or pressing the RESET button will provide a new session.
- Function Keys removed from Fling Bar by default, can be enabled by SHOW\_FKEYS = 1.

## ***Known Issues***

- Application only supports English, French, and German Languages
- Speech input limited to English
- No Support for Meta-Tags



## **Introduction**

In order to maintain all information about SMIBROWSER in one place, this manual deals with:

- Product History and Market Requirements
- Pricing
- Functionality
- Design Considerations
- Technical Information
- Release Notes

### ***History and Market Requirements***

The SmiBrowser APP was designed for customers that want to run ITS MOBILE Transactions on Android devices, but do not want to make modifications to the SAP system to make the screens fit on the Android device, or fix some of the many issues with formatting the default webpages created by SAP.

It was designed to provide a function Web interface specifically for ITS MOBILE transactions with minimal configuration

It is designed to replace more expensive and are often Hardware Vendor specific Industrial Browsers. (often called IBrowsers). SmiBrowser will be positioned to be approximately half the price of competing Industrial Browsers and will run on any Android device.

It is designed to provide a more “usable” user experience with minimal configuration. It will handle screen scaling and better manage inputting data on devices that do not have a dedicated keyboard.



## **Selling SmiBrowser**

SmiBrowser is designed to provide the same functionality of other Industrial Browsers, but at less cost up front with less cost (effort) to configure and deploy.

### ***Pricing Considerations***


SmiBrowser Licenses can be purchased directly from SMILOG Ltd at \$xxxx per copy.

The software can be installed on any Android device without a license, but it will display a pop-up message indicating the product is unlicensed on started up and after every 100 key strokes.

### ***Limitations of SMIBROWSER***


- Requires a WIFI / TCPIP connection. No support for Narrow Band.
- Designed specifically for SAP ITS mobile, not a general purpose Industrial browser

## Basic Look and Feel



ITS Mobile transactions are primarily function key driven. Since most Android devices do not include function keys, there is a "button bar" at the bottom of the screen that allows the user to send function key presses. This is a scrollable (Fling style) bar providing buttons for F1-F12 and other buttons for features like "Voice" and "Scan via Camera."

The Function keys can be removed from the button bar leaving only the Scan, Configure and Reset buttons (see SHOW\_FKEY parameter)





Many Android devices do not have a fixed Keyboard. Data is often entered via a pop-up keyboard  
This keyboard can be opened and closed by doing a 2 finger touch anywhere on the screen  
It can also be closed by pressing the Back button.

If the Android Terminal is equipped with a built in scanner, data can be scanned into a field using a “Wedge Reader” application that will convert the barcode to keystrokes. Terminals with built in scanners will likely have a dedicated “scan” button.

If the Android device is equipped with a camera, the camera can be used as a barcode scanner. The built in scanner application can read 1D and 2D barcodes and can also read Text (OCR).

The Scanner shows the view of the camera, if the center of the red “cross hairs” touch the barcode it will be read automatically. If the SCAN button is press and held, the scanning will be suspended until the SCAN button is released, this allows for aiming before scanning.



Screen shot of scanning app

## Speech Recognition

SmiBrowser will accept speech input using Google’s speech recognition. This is activated by pressing the “Voice” button on the “button bar”. This will cause the edges of the screen to go yellow. Spoken Data will be processed continuously until the Speech Recognizer times-out, or the Voice button is pressed again.



The screenshot shows a login form titled "Logon" with the following fields and controls:

- System: D01
- Client:\* 800
- User:\*
- Password:\*
- Language: English (dropdown menu)
- Log On button
- Change Password link

At the bottom of the screen, there is a "button bar" with four buttons: Repeat, Voice, Config, and License. The entire screen is framed by a yellow border, indicating that speech recognition is active.

The spoken value will be placed in the active field.

It will also accept spoken commands for function key presses,

The user can say "Function 1", to press the F1 key,

The user can say "Select" to press the ENTER key.



## Installing SmiBrowser

SmiBrowser is not currently available in the Google Play Store

In order to install it on your Android device, you must install it directly from an .APK file (commonly called side loading )

The first step is to allow 3<sup>rd</sup> party applications to be installed on your Android Device, this is usually turned off by default.


On a standard android O/S, this is done via the SETTINGS, in SECURITY, where you set the “Unknown Sources” option to “ON”.

(On many Samsung phones, it is under LOCK SCREEN AND SECURITY)

Then copy the APK to device, and click on the APK file. This can be done by opening an EMAIL on the device and clicking on the APK file, or using the device’s web browser and downloading the file from the link the SMILOG webpage or from the link below


<http://www.smilog.ca/x>

NOTE: Screen below are from SmiTerm, but the installation procedure is the same.






Clicking on the APK will start the installation  
(note: same for smiTerm and smiBrowser)



Once installed, open application from the installer  
((note: same for smiTerm and smiBrowser, but will vary depending on version of Android))



Or from the Desktop ICON





The license key is unique to each terminal, and cannot be moved or reused on a different terminal.

NOTE: both permanent and expiring license keys are available.

To enter a license, Press the “License” Button on the button bar.



To obtain a license key, send proof of purchase to [support@smilog.ca](mailto:support@smilog.ca)

Please include the Device ID displayed at the top of the licensing Pop-up message.

License keys can be delivered via the Web. Automatic Licensing is attempted each time the application is started. It will send a request for a key. If the Device ID is recognized by the license server, it will send back a valid key.

License can also be scanned in by creating a code 128 barcode with the following format

(scan prefix)<(license key)>

Example: ~<**64D5434CDD8DC1C9**>

NOTE: only a valid scanned license keys will be installed. If an invalid key is scanned it will not overwrite the existing key.




## Configuring SmiBrowser

SmiBrowser is configured by editing a comma delimited configuration file.

The contents of this file could be scanned in using a single 2D barcode.

The configuration file is edited by pressing the " Config" button, on the "button bar, The following screen will appear,

NOTE: There have been significant changes in the number of parameters available. Not all parameters are included in the default (Reset) configuration. If a parameter is not included in the view below, the default value is used.



Each of the configuration parameters is explained below:

### Host connection address:

HOST, <value>

Where <value> is the URL for the ITS Mobile System..

Default:



**Scale Login Screen a percentage**

SCALE, <value>

Where <value> is the percentage to scale the TEXT of original ITS mobile Screen

Default: 100

**Scale Transaction Screens percentage in Horizontal direction (X)**

SCALE\_X, <value>

Where <value> is the percentage the TS mobile Screen in the X directions

Default: 100

**Scale Transaction Screens percentage in Vertical direction (Y)**

SCALE\_Y, <value>

Where <value> is the percentage the TS mobile Screen in the Y directions

Default: 100

**Scale Text a percentage**

FONT\_SCALE, <value>

Where <value> is the percentage to scale the TEXT of original ITS mobile Screen

Default: 200

**Screen Orientation**

ORIENTATION, <value>

Where <value> = 0 Portrait.

<value> = 1 Landscape

<value> = 2 Reverse Portrait (upside down).

<value> = 3 Reverse Landscape (upside down).

Default 0

**Enable Camera as Barcode Reader:**

CAMERA, <value>

Where <value> = 0 to disable camera as scanner,



- <value> = 1 to enable camera as barcode scanner,
- <value> = 2 to enable camera as Text scanner,
- <value> = 3 to enable camera as barcode and Text scanner,

Default 1 (on)

### **Enable Speech Features**

SPEECH, <value>

Where <value> = 0 to disable TTS and Speech Recognition,

<value> = 1 to enable TTS

<value> = 2 to enable TTS and Speech Recognition

Default 2



### **Enable SSL data exchange**

CRYPTO, <value>

Where <value> = 0 to enable SSL data exchange

<value> = 1 to enable SSL data exchange, but ignores Certificate, all data will be encrypted.

Default 0

### **Debug level**

DEBUG\_LEVEL, <value>

Where <value> = 0 to 6. The higher the number, the more details that are sent to iLog.

Default: 6

### **Keyboard Only (Disable Popup Keyboard)**

KEYBOARD, <value>

Where <value> = 0 use both

<value> = 1 use physical keyboard only, .

Default: 0

### **Screen Color Theme**

THEME, <value>

Where <value> = 0 use default colors

<value> = 1 use Dark Mode colors

<value> = 2 use TekTerm default colors (black and white)

Default: 0

### **Override Device Locale**

Locale, <value>

Where <value> = DEVICE uses the devices locale

<value> = US

<value> = DE

Default: US



### Scan Prefix

SCAN\_PREFIX <value>

Where <value> is set to single character that will trigger “scan to configure” and “AIAG barcode parsing”

This can be set to a space character (Blank) to completely disable the scan features

Default: ~ (ascii 126, hex 0x7E)

### Auto License Web address

LICENSE\_URL <value>

Where <value> address of web service use to automatically deliver license keys”

This can be set to space character (Blank) to completely disable this feature

Default: <http://portal.smilog.ca/myLicense/Service1.svc/json/>

### FKEY Fling Bar location

BAR\_LOCATION, <value>

Where <value> = 0 bottom of screen

<value> = 1 top of screen

Default: 0

### LOCK Configuration

LOCK, <value>

Where <value> is the password, up to 16 characters. Will not prompt for a password when the CONFIG button is pressed if blank.

Default: <blank>

### KEEP ALIVE TIMER

KEEP\_ALIVE, <value>

Where <value> = 0 No Keep Alive, Web Session will timeout based on SAP Host settings

<value> = x In Minutes, Screen will be refreshed every x Minutes, if a new Screen has not been loaded.

NOTE: data can be lost during screen refresh, but this prevents the user from being logged off

Default: 0



### **LOAD DEFAULT CSS**

LOAD\_CSS, <value>

Where <value> = 0 Do not load Default CSS file

<value> = 1 load Default CSS file

Default: 1

### **LOAD DEFAULT JSCRIPT**

LOAD\_JS, <value>

Where <value> = 0 Do not load Default JSCRIPT file

<value> = 1 load Default JSCRIPT file

Default: 1

### **OVERRIDE TITLE**

TITLE, <value>

Where <value> = Title on Login Screen

### **OVERRIDE SYSTEM**

TITLE, <value>

Where <value> = System on Login Screen

### **OVERRIDE CLIENT**

TITLE, <value>

Where <value> = Client on Login Screen



## SCAN TO CONFIGURE

Any of the configuration parameters can also be scanned in by creating a code 128 barcode with the following format

(scan prefix)<(parameter),(value)>

Example: ~<**THEME,1**> will set the screen colors to Dark Mode

The configuration can be reset using the RESET Command

Example: ~<**RESET,0**>

After a configuration barcode is scanned the edges of the screen will become red (as illustrated below)



Multiple barcodes can be scanned, but will not take effect until the WRITE command is scanned.

Example: ~<**WRITE,0**>



Or the changes can be cancelled using the CANCEL command, or by restart the application, or pressing the CONFIG button.

Example: ~<**CANCEL,0**>

Once the WRITE Command is scanned the application is restarted.

## Appendixes

### *Appendix A – Scan To Configure Barcodes Samples*



~<THEME,1>



~<WRITE,0>



~<RESET,0>



~<CLEAR,0>

Generated using:

<https://barcode.tec-it.com/en/Code128>